

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show 3 Numbers](#)[Edit 5 Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L5 same controller	20

Database:

[US Patents Full-Text Database](#)
[US Pre-Grant Publication Full-Text Database](#)
[JPO Abstracts Database](#)
[EPO Abstracts Database](#)
[Derwent World Patents Index](#)
[IBM Technical Disclosure Bulletins](#)

Search:

L7

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**DATE: Thursday, July 10, 2003 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT; PLUR=YES; OP=OR

L7	L5 same controller	20	L7
L6	L5 same (cycle near0 number)	8	L6
L5	L2 same apparatus	688	L5
L4	L3 same apparatus	2	L4
L3	L2 same threshold	193	L3
L2	L1 same amplif\$	26817	L2
L1	nucleic or DNA or RNA or polynucleotide or oligonucleotide	71466	L1

END OF SEARCH HISTORY

FILE 'MEDLINE' ENTERED AT 12:42:50 ON 10 JUL 2003

FILE 'BIOSIS' ENTERED AT 12:42:50 ON 10 JUL 2003
COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'CAPLUS' ENTERED AT 12:42:50 ON 10 JUL 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EMBASE' ENTERED AT 12:42:50 ON 10 JUL 2003
COPYRIGHT (C) 2003 Elsevier Science B.V. All rights reserved.

=> s nucleic or DNA or RNA or polynucleotide or oligonucleotide
L1 3487870 NUCLEIC OR DNA OR RNA OR POLYNUCLEOTIDE OR OLIGONUCLEOTIDE

=> s l1 (p)amplif?
L2 197476 L1 (P) AMPLIF?

=> s l2 (p)apparatus
L3 423 L2 (P) APPARATUS

=> s l3 (p)controller
L4 0 L3 (P) CONTROLLER

=> s l3 (p) (cycle(w)number)
L5 0 L3 (P) (CYCLE(W) NUMBER)

=> s l3(p)threshold
L6 2 L3(P) THRESHOLD

=> d bib ab l6 1-2

L6 ANSWER 1 OF 2 MEDLINE
AN 2002714647 MEDLINE
DN 22364572 PubMed ID: 12476994
TI A refined method for the detection of baculovirus occlusion bodies in forest terrestrial and aquatic habitats.
AU Ebling Peter M; Holmes Stephen B
CS Canadian Forest Service, Natural Resources Canada, 1219 Queen St E, Sault Ste Marie, Ontario, Canada P6A 2E5.. pebling@nrcan.gc.ca
SO PEST MANAGEMENT SCIENCE, (2002 Dec) 58 (12) 1216-22.
Journal code: 100898744. ISSN: 1526-498X.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 200303
ED Entered STN: 20021217
Last Updated on STN: 20030331
Entered Medline: 20030328
AB A sensitive and efficient method was developed for the detection of genetically modified and wild-type baculovirus occlusion bodies (OB) in forest terrestrial and aquatic habitats. The protocol facilitates the analysis of a large number of samples collected and frozen to maintain viral integrity. Lyophilization was used to standardize the size of both field-collected soil samples and test substrates inoculated with OBs for the determination of minimum detection **threshold**. To simulate natural conditions, terrestrial test substrates were inoculated at a standardized moisture content determined using a soil pressure plate **apparatus**. OBs, extracted from lyophilized test substrates by washing, sieving and centrifugation, were subjected to alkaline lysis and viral **DNA** isolated using a purchased **DNA** purification

kit. PCR **amplified DNA** was visualized using agarose gel electrophoresis. Minimum detection thresholds in terrestrial substrates were 10(3), 10(2), 10(2) and 10(1) OBs from 0.5 g of lyophilized L, F-H and mineral soil horizons, and 1.0 ml of leachate, respectively. Detection thresholds in aquatic substrates were 10(0) and 10(3) OBs from 1.0 ml of pond water and 1.0 g of bottom sediment, respectively.

L6 ANSWER 2 OF 2 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
 AN 2003:55966 BIOSIS
 DN PREV200300055966
 TI A refined method for the detection of baculovirus occlusion bodies in forest terrestrial and aquatic habitats.
 AU Ebling, Peter M. (1); Holmes, Stephen B.
 CS (1) Great Lakes Forestry Centre, Canadian Forest Service, 1219 Queen Street East, Sault Sainte Marie, ON, P6A 2E5, Canada: pebling@nrcan.gc.ca Canada
 SO Pest Management Science, (December 2002, 2002) Vol. 58, No. 12, pp. 1216-1222. print.
 ISSN: 1526-498X.
 DT Article
 LA English
 AB A sensitive and efficient method was developed for the detection of genetically modified and wild-type baculovirus occlusion bodies (OB) in forest terrestrial and aquatic habitats. The protocol facilitates the analysis of a large number of samples collected and frozen to maintain viral integrity. Lyophilization was used to standardize the size of both field-collected soil samples and test substrates inoculated with OBs for the determination of minimum detection **threshold**. To simulate natural conditions, terrestrial test substrates were inoculated at a standardized moisture content determined using a soil pressure plate **apparatus**. OBs, extracted from lyophilized test substrates by washing, sieving and centrifugation, were subjected to alkaline lysis and viral **DNA** isolated using a purchased **DNA** purification kit. PCR **amplified DNA** was visualized using agarose gel electrophoresis. Minimum detection thresholds in terrestrial substrates were 103, 102, 102 and 101 OBs from 0.5 g of lyophilized L, F-H and mineral soil horizons, and 1.0 ml of leachate, respectively. Detection thresholds in aquatic substrates were 100 and 103 OBs from 1.0 ml of pond water and 1.0 g of bottom sediment, respectively.

=> d his

(FILE 'HOME' ENTERED AT 12:42:34 ON 10 JUL 2003)

FILE 'MEDLINE, BIOSIS, CAPLUS, EMBASE' ENTERED AT 12:42:50 ON 10 JUL 2003

L1 3487870 S NUCLEIC OR DNA OR RNA OR POLYNUCLEOTIDE OR OLIGONUCLEOTIDE
 L2 197476 S L1 (P)AMPLIF?
 L3 423 S L2 (P)APPARATUS
 L4 0 S L3 (P)CONTROLLER
 L5 0 S L3 (P) (CYCLE(W)NUMBER)
 L6 2 S L3 (P)THRESHOLD